

FIG. 1

The diagram illustrates a medical device, possibly a catheter or probe, with the following labeled components:

- 7**: The main shaft or tube of the device.
- 8**: A side tube or channel branching off the main shaft.
- 9**: A component at the distal end of the side tube.
- 10**: A side tube or channel branching off the main shaft.
- 36**: The distal tip or end of the main shaft.
- 51**: A handle or grip attached to the side of the device.
- 52**: A connector or joint between the handle and the main shaft.
- 53**: A component at the distal end of the side tube.

FIG. 2




FIG. 3

The figure consists of three views of a cylindrical container with a hemispherical head. The perspective view at the top shows a rectangular body with a hemispherical head on the left. A small rectangular protrusion (5) is on the top surface. The body has a series of horizontal lines (16, 17) on its side. The head has a small rectangular protrusion (21) on its top surface. The body is supported by four legs (37, 71, 16, 17). Section lines A-A and B-B are indicated. Section A-A is a vertical section through the head and body. Section B-B is a horizontal section through the body. The cross-section A-A at the bottom left shows the hemispherical head with a small rectangular protrusion (21) on its top surface. The head is divided into two halves by a vertical line (72). The body is supported by a single leg (37). The cross-section B-B at the bottom right shows the cylindrical body with a small rectangular protrusion (5) on its top surface. The body is divided into two halves by a vertical line (19). The body is supported by four legs (16, 36, 17, 19). The labels 16, 17, 36, and 19 are used to identify the legs in both cross-sections.

FIG. 4

2002660 20284650




FIG. 6